

Date and time of opening of tenders—23-1-2009,
3 p.m.

Earnest Money Deposit—1% of the quoted value by means of a Demand Draft or FDR from a Nationalised Bank.

The tenders should be accompanied by an agreement executed in the Kerala Stamp Paper worth Rs. 50. Tenders without tender form, agreement, E.M.D. will be rejected.

Intending tenderers may obtain the requisite non-transferable tender forms separately for each requirements from the Principal, Government Polytechnic College, Palakkad-678 551 on payment of value noted above by cash or by money order (postage Rs. 45 extra). The cost of tender forms will be accepted only by means of cash or by money order.

Tenders should be clearly superscribed and the same will be opened on the specified date and time in the presence of such tenderers or their authorized representatives. Late tenders will not be considered.

“ପାଲକରା” ଶବ୍ଦଟିଙ୍କଠିରେ “ପୋଛୁକିରକ,” “ନିକ”
କେହାହୁଜିଲେ ତୁମିରା “କୁମରିଙ୍ଗ” ଏକାକ “ଯୋଗୁଡ଼ି ରକ୍ତକୁଣ୍ଡି
ଲେଖକ” କାହାର ରାଗାମିଳୁଗା ପ୍ରକାରର କଷଣସ୍ଵରୂପଙ୍କିଳିରାଜୀ
ଧିରିବାରେ ଚିତ୍ରିତ ତିରିବାରୀ ପ୍ରତିକାରିତାର ସାମାଜିକ
ଅନୁଷ୍ଠାନିକ ନିର୍ମାଣ ଦୃଶ୍ୟରେ ଉପରେ ଉପରେ ଉପରେ ଉପରେ
ରହାହୁଜିଲୁଣ୍ଡି. - କବିଗ୍ରହପ୍ରକାଶରକ” ଏକଣେ ନାମର,
ରହାହୁଜିଲୁଣ୍ଡି ପେଟ”, ଅବସରକ ତିରିତାର ଫ୍ରାନ୍କିର
ପ୍ରକାରର ରହାହୁଜିଲୁଣ୍ଡିରିକିମୁହୂର୍ତ୍ତିରୁ
କବିତାର ପରିମାଣରେ, ଶବ୍ଦଟିଙ୍କଠିରେ “ପୋଛୁକିରକ” “ନିକ”
କେହାହୁଜିଲେ, ପାଲକରା”-678 551 ଏହିନ ବିଲମ୍ବାନ୍ତରୀତି
ଅନ୍ୟାନ୍ୟ କଷଣରୁ ମହିମାନାଙ୍କ.

“മലബാറു” നമ്പർ—2/2008-09.

നിരത്വവും—സ്കൂളുകളുടെ ഒരു ശമ്പളം മേഖലാപ്രക്രിയ ബാധിച്ച നിറപ്പ് D.D./P.D.R. നിലപാതയിൽ

മന്ത്രാലയംസ് മഹാരാജാവിരുദ്ധ
കോളേജിനു—ഒപ്പ് 169

പക്ഷപ്പ്—സൂപ്പ് 113.

தியதியு. ஸமயவு—22-1-2009, 3 மணி.
எல்லாஸ் ஸரிகரிக்குடன் ஈவுபூர் தியதியு,

ஸமயവു—23-1-2009, 11 മണി.
മീറ്റിംഗ് തുറക്കുന്ന തീയതിയും സമയവു—
23-1-2009, 6 മണി.

സമൂഹത്തിൽ 50 രൂപക്കരണ കേരള മുദ്രപ്പരിഷത്തിൽ
മെച്ചപ്പെടാനോരോപ്പ് സമർപ്പിക്കണം. നാമാവിഭവ്;
എടുത്തു ശ്രദ്ധാസ്ഫുക്ത സ്വന്തമാക്കുന്നതയും, തങ്കൾപ്പറ്റ
മൃഗജീവൻറെ ക്ഷേമം ചെയ്യാനാവാതെ ദാനാശ്രമസ്ഫുക്ത
അനുഭവം കണ്ടിരിക്കാം മുൻവന്നുണ്ടാക്കാതെ, ലഭിക്കുന്ന
താഴെ. (തപാത്രികയും 45 രൂപ (പത്രക്കും).
മെച്ചപ്പെടാസ്ഫുക്ത നിശ്ചാരിപ്പിന് സ്ഥായിക്കുന്നു. തിരുത്തിയില്ല,
അഭ്യന്താം, സ്ഥാനിലെയുമുള്ളജീവരൂപങ്ങൾ മുൻപിൽപ്പാടു
തുറക്കുന്നതാണ്. നിരത്തെവ്യവസ്ഥ. സമൂഹത്തെവ്യ
ജീവാതെ ശ്രദ്ധാസ്ഫുക്ത സ്വന്തമാക്കുന്നതയും, താഴെ
സംശയം യാഥായ പിശേഷപിവരണം പ്രതിസ്ഥാപിക്കാം,
മവിഡിമിന്റെ ചൗക്കുടിക്ക് “നിക്” കൊഞ്ചിന്തനിന്നും.
പ്രവർത്തിസ്ഥാപിക്കാതെ (രാവിലെ 9 മണി മുതൽ
വെവ്വേക്കുട്ടി; മനു വരെ) ലഭിക്കുന്നതാണ്.

**Government Polytechnic College,
Palakkad.** (Sd.)
Principal

SHORT TENDER NOTICE

No. D2-3139/2008.

3rd December 2008.

Sealed tenders are invited for the supply of the following equipments to in Government College of Engineering, Kannur .

Approximate Cost—Rs. 2,40,000.

The tender should be superscribed "Tender No. D2-3139/2008" and addressed to the Principal, Government College of Engineering, P. O. Parassinikkadavu, Kannur-567 563. Last date of receipt of tender is on 14-1-2009 at 4 p.m. and the tenders will be opened at 11 a.m. on 15-1-2009 in the presence of such of the tenderers or their authorised representatives who may be present at that time. Late tenders will not be accepted.

Intending tenderers may on application to the Principal, Government College of Engineering, P.O. Parassinikkadavu, Kannur-670 563, obtain the requisite tender forms on which tenders should be submitted. Application for the tender forms should be accompanied by a cash remittance of Rs. 450 which is the price fixed for a form/set of forms and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 3 p.m. on 14-1-2009. Cheques, Postage Stamps, D.D., I.P.O. etc. will not be accepted towards the cost of forms, nor will the forms be sent by V.P.P. Duplicate tender forms, if required will be issued at Rs. 225 per copy.

Those who want tender form by post should send an additional amount of Rs. 27 towards the postal charges.

கலைங்கரி முனிசிபல் குழுமத்தின் விதிவிலே விவரம் கொடுக்கப்பட்டுள்ளது. கலைங்கரி முனிசிபல் விதிவிலே விவரம் கொடுக்கப்பட்டுள்ளது. கலைங்கரி முனிசிபல் விதிவிலே விவரம் கொடுக்கப்பட்டுள்ளது.

ଓଡ଼ୀସ୍ୟ ପ୍ରଦେଶ ଯୁଦ୍ଧ—କିମ୍ବା ୨,୫୦,୦୦୦

മുംബാ» ചെയ്ത ദീഖാസുകര പ്രിൻസിപ്പാഡ, റാണ്ടിന്റെ ഏറ്റവും വലിയ കുടുംബം, 670 563 എന്ന വിലാസത്തിൽ 14-1-2009-ന് അവകുപ്പാരു. 4 മൺകോട്ടേ മുൻപായി ലഭിക്കേണ്ടതാണ് തിരുവാതിര സമയംതിന്റെ തീയതിക്കുമ്പും. ഉടൻകുന്ന കുടുംബം ചെയ്ത ദീഖാസുകര 15-1-2009-ന് നാവിലെ 11 മൺകോട്ടേ പാശ്ചാത്യത്തുകൂടി അംഗീക്കരിച്ചിട്ടുള്ള ശാന്തിയുടെ പുരംകരമാണ്».

“கால்யாஸ்” மோடான்டு காவுலயுமிகுதி வழகு “கிரிகரி ஸுமங்களை பிள்ளைக்கூட்டுத் தாவுக்கிரிக்கூட்டுத் தாவுக்கிரியோடு” கேங்கே”, செப்ட-670 563 ஏற்ற விவரங்களின் 450 ஒருப் பாக்டி அமைக்கிக்கூண் அல்லது மோடான்டு வடிவிலும்கூறுவதே “கிரிக்கூட்டுத் தாவுக்கிரியோடு” 225 ஒருப் பாக்டி செலவுபூரித்து விடும். அந்தப்பாடு கோரின்றிரென் வில் வெக்கு, யி, வி, பவாஸ் “கேங்கே” ஸுமங்கை, தாஷ். பி. க. ஏற்காடு வெப்பாடு காக்டி காவுலயாக்கி. வி. பி. பி. க. காக்டி வெப்பாடு அமையும் கேல்லாஸ் மோடான்டு 14-1-2009-ாம் தேதியில் கொடுமையாக விடும். 3 மார்ச்சில் பாக்டி காக்டி கொடுமையாக விடும்.

“**கன்னியாகுமரி**” என்ற பொதுப் பெயர் கன்னியாகுமரி மாவட்டத்தில் உள்ள ஒரு நகரமாகும்.

SPECIFICATIONS

Sl. No.	Name of Items	Specification	Quantity
(1)	(2)	(3)	(4)
1	Power Supply(30 V. 2A Continuous Variable Regulated)	Voltage range—0.30V Voltage Control—Single turn coarse fine control Current—2 A Current control—Single turn Load Regulation— $0.01\% + 3mV$ Line regulation— $0.01\% + 3mV$ Ripple (0–20MHz)— $1mV \text{ rms}$ Transient recovery time— $50 \mu \text{ Sec}$ Meters—individual 3 digit DPM to indicate Volt and Amps Terminals—Provided on the front panel Overload and Short circuit Protection	20
2	Function Generator	Frequency Range—0.2Hz to 2MHz (usable from 0.02Hz). Functions—Sine, Triangle Square \pm Pulse, -Pulse and Ramp. Output (Max.)—20V p-p o/c and 10V p-p into 50 ohms. Attenuation—20, 40 and 60dB step attenuation and 20dB (approx.) variable. DC Offset—0 to ± 7.5 max. Sine Wave— $<1.5\%$. Distortion Triangle/Ramp— $<2\%$ upto 100KHz. $<10\%$ at Nonlinearity 1 MHz. Square Wave— $<100\text{ns}$ into 50 ohms. Risetime Pulse Duty Cycle—10%–90% variable. Pulse/Ramp—Approx. 1/10 of normal Frequency—Frequency at the same settings. Frequency Counter Frequency Range—1GHz to 2MHz.	20

External Input—1Vp-p
 $(50Vp-p \text{ max})$ Amplitude
Input Impedance—1 Meg.
 $\text{ohm} // 22 \text{ pf.}$
Display—4 Digit 0.3"
LED Display.
Accuracy— $\pm (0.1\% + 1 \text{ count})$
Operating Mode—Internal, External and Mains
Power Supply
Voltage—230V AC $\pm 10\%$
 $50\text{Hz}.$
Consumption—20VA approx.

Government College of
Engineering, Kannur.

(Sd.)
Principal.

SHORT TENDER NOTICE

No. 14/CIICP/2008.

12th December 2008.

Sealed tenders are invited for the supply of Ceramic Steel Chalk Writingboards 10' \times 4'—9 Nos. to the Government Polytechnic College, Kannur.

Technical Details

1. Ceramic Steel Writing Surface—0.25 mm.
2. M D F — 10 mm.
3. G I Sheet —0.20 mm.

(Made of three layers and framed with Aluminium frame of 25.8 \times 15.8 \times 1.15 mm. with chromium corners).

The tenders should be superscribed "No. 14/CIICP/2008 for the supply of Modern Chalk Writing Board" and addressed to the Principal, Government Polytechnic College, Kannur-7. Last date for receipt of tender is 31-1-2009 at 2 p. m. and tenders will be opened at 3 p. m. on 2-2-2009, in the presence of such of the tenderers or their authorised representatives who may be present at that time. Late tenders will not be accepted.

Intending tenderers may on application to the Principal, Government Polytechnic College, Kannur obtain the requisite tender forms on which tenders should be submitted. Application for the tender forms should be accompanied by a cash remittance of Rs. 450 + S. T. which is the price fixed for a form/set of forms and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 4 p. m. on 31-1-2009. Cheques, Postage Stamps etc. will not be accepted towards the cost of forms nor will be forms be sent as per V.P.P. Duplicate tender forms if required will be issued at Rs. 225 + S.T. per copy.

കേരള ടെക്നിക്കൽ പോളിടെക്നിക്
 കോളേജിലെ സൗസ് റൂ മുകളിലെ ഒരു വശ്യമായ
 സൈറ്റിൽ "സൗസിൽ ചോക്സ്" രേഖാചിത്രം, ഒരു അവലോക്യ—
 9 മുണ്ട്, 10' \times 4' എസ്റ്റേജ് വിശദാശം. ചെങ്കുന്നതിന്
 സീറി ഫേയർ ലൈംഗുകൾ കുണ്ടിച്ചുകൊള്ളുന്നു.

ടെക്നോളജിക്കൽ ഡീപ്പോളജിസ്റ്റ്

1. സെറവുകൾ " സെറവിൽ ലൈറ്റിംഗ്
സർഫേസ്—0.2 എം.എം.
2. എം. ഡി. എഫ്.— 10 എം.എം.
3. ഓ. എം. ഡിഐ.—0.20 എം.എം.
($25.8 \times 15.8 \times 1.15$ എം. എം. അല്പമിനിയാം
ഒമ്മയിലെമുക്കുടിയതും തുണ്ട് പാളികളുള്ളതും
അകാരിയാം കേംബുകളുള്ളതുമായാം.)

ടെക്നോളജിക്കൽ ഡീപ്പോളജിസ്റ്റ്
ടെക്നോളജിക്കൽ ഡീപ്പോളജിസ്റ്റ് 14/സി.എഎ.പെഎ.സി.പി./2008 കൂടാം
റൂഫുകളിലെക്കാവശ്യമായ ഉപകരണങ്ങൾക്കുവേണ്ടി
എത്രംശുചിയവയും ആചാരിക്കൊണ്ട് സീൽ ചെയ്ത
ടെക്നോളജിക്കൽ സ്വീകരിക്കുന്ന അവസാന തീയതി
31-1-2009 2 മണിവരെ 2-2-2009 3 മണിക്ക്
ടെക്നോളജിക്കൽ സ്കോളിപ്പിച്ച് സന്നിഹിതരാവുന്നുണ്ട്
ഡാനോം "ധ്യാത്മകൻ" തുറക്കുന്നതുമായിരിക്കും. വൈകി
കിട്ടുന്ന ടെക്നോളജിക്കൽ ഫാക്റ്റാറും കാബാനബശാലയും
പരിശോഖമുന്നോട്ടു.

ടെക്നോളജിക്കൽ ഡീപ്പോളജിസ്റ്റ് (മടക്കി
(മടക്കി കീടുശത്ര) ക്ലൗഡ് ഡവൺകെൻഡ്
പൊതുക്കെട്ട് കോളേജിലെ ആചാരിസ്ഥിൽ നിന്നും
31-1-2009 വൈക്കുമ്പേരം 4 മണിവരെ ദേശിയും അപാരം
മാർഗ്ഗം ദവും കീടുനുന്നതായിരിക്കും. ടെക്നോളജിക്കൽ
വില മണിക്കാർഷിക്കും ആചാരി കാത്രമേ സ്വീകരിക്കുക
യുള്ളിട്ട്. വൈക്കുമ്പാം, പോസ്റ്റേഴ്സ് കാർഷിക്, ഫ്ലാമോറാ
എന്നിവ ടെക്നോളജിക്കൽ വിലയായി സ്വീകരി
ക്കുന്നതല്ല.

ധ്യാത്മകൻ ഫോറം ആവശ്യമുള്ളവർ
225 രൂപ + വി.നി. കൊപ്പി നേന്ത്ര കുടുംബം
നൽകുന്നതാണ്.

Government Polytechnic College,
Kannur-670 007.

(Sd.)
Principal.